apartm tenants	ent. This. If you	s is important so have not called	you will not butility compan	be billed for an ies to turn on u	y damages due to the	for inspection of your apartment from previous s soon as possible to avoid ows;		
COLU	MBIA (GAS OF OHIO		(800)	344-4077			
ELEC	TRIC A	AEP			277-2177			
CABL	E '	TIME WARNE	2	(800)	934-4181			
PHON	E	VERIZON		(800)	483-4000			
WATE	R SEWI	ER TRASH ATI	HENS	(740)	592-3347			
CHECK FOR THE FOLLOWING ITEMS: If any are broken or missing contact me immediately. FIRE EXTINGUISHER: Make sure it is fully charged. SMOKE ALARMS: Check to make sure they are working properly. TOLIET PLUNGER: Please keep in bath by toilet. INSPECT THE HOUSE FOR THE FOLLOWING ITEMS: Call me the day you move in at 594-5555 to go over list of any damages with you (leave message if you get voice mail)								
	REFRI	GERATOR CL	EAN					
	STOVE	E CLEAN						
	KITCHEN CLEAN (SINK , FLOOR, CABNETS, ETC)							
	Briting of the transfer of the							
	- CARPETS CLEAN (CHECK FOR STAINS / DAMAGE TO CARPET)							
	NO TRASH OR FURNITURE LEFT BEHIND							
	DAMAGE ITEMS: HOLES IN WALLS, CLOSET DOORS OF HINGES RIPPED CARPET ETC. WINDOWS WORKING CORRECTLY, ANY DAMAGED TO SCREENS							
						18		
	CHECK	K CEILINGS F	JK WATER D.	AMAGES HO	LES ETC			

Address Date

THE FOLLOWING ARE ITEMS TO BE PROVIDED BY TENANTS, BLINDS, CURTAINS, FANS, SHOWER CURTAINS, MOPS, BROOMS, VACUUM CLEANER, CLEANING SUPPLIES, LIGHT BULBS, AND FLASHLIGHTS.

INSURANCE: Landlord is not responsible for stolen or damaged items that belong to tenants. To insure against a loss or theft please obtain renters insurance. It is not that costly.

THE FOLLOWING INFO IS PROVIDED FOR YOUR SAFETY AS WELL AS YOUR GUESTS.

- 1. Keep fire extinguisher fully charged and know how to use properly.
- 2. Do not cover any heating ducts with furniture or anything else.

MOVE IN CHECKLIST

- 3. Do not put anything within four feet of furnace, or water tank city code violation, & fire hazzard!!!!
- 4. Smoke detectors do not have removable batteries. Just check to see if working.

PLEASE RETURN CHECK LIST TO OFFICE